

System

System Volume in 1000 gal

	02/08	03/18	04/18	05/18	06/18	07/18	08/18	09/18	10/18	11/18	12/18	01/19
<b>Mays</b>												
Total	N/A	1,904	2,363	2,845	3,269	4,462	4,300	3,770	3,877	2,847	2,175	1,824
Raw	940	958	1,321	1,670	NA	2,633	2,642	2,040	2,461	1,510	1,126	3,028
%	N/A	50	44	41	NA	41	39	46	37	47	48	-66
Treated	619	692	805	1,043	1,049	1,366	1,572	1,306	1,013	884	1,219	1,611
Overflow	N/A	266	516	627	NA	1,267	1,070	734	1,448	626	-93	1,417
%	N/A	28	39	38	NA	48	40	36	59	41	-8	47
<b>Gelwick</b>												
Raw	423	469	454	469	454	469	469	469	469	469	469	469
Treated	121	223	252	318	316	146	45	46	39	46	77	249
<b>Total</b>												
Raw	1,363	1,427	1,775	2,139	NA	3,102	3,111	2,509	2,930	1,979	1,595	3,497
Treated	740	915	1,057	1,361	1,365	1,512	1,617	1,352	1,052	930	1,296	1,860
Sold	546	716	870	1,254	1,157	1,346	1,332	1,195	696	644	850	955
Lost	194	200	187	107	208	165	286	156	357	285	446	905
% lost	26	22	18	8	15	11	18	12	34	31	34	49